




Automatic roll away laying nests



INDIV[®]

indiv.com

Poultry and swine solutions
around the world

The newest generation of automatic roll away laying nests for layers, broiler breeders and free-range layers

General features

The Van Gent[®] automatic roll away laying nests are identified by their simplicity and high quality.

They are suitable for laying eggs both for hatching and consumption.

The successful concept of Van Gent[®] nests is the result of years of practical experience and constant innovation.

The nests are built with first-class film-faced plywood ensuring easy cleaning and guarantee a long lifespan.

Due to their modular design and simple stable construction they are easy and quick to assemble.

A mechanical timeclock activates the expulsion system. This removes the hens from the nests and closes them off at the end of the day, preventing broody hens and fouled nests. This provides cleaner eggs.

With the unique two part expulsion fence, the entire nest surface can be used which results in a familiar and comfortable place for the chickens to lay eggs.



The artificial grass mat Astro-Turf has holes that keep the nests free of dust and foul. The comfortable environment of the nests lets the hens feel fine and at ease to lay their eggs.

The egg rolls off of the artificial turf mat onto the conveyor belt. The way that the egg travels has been carefully designed to prevent cracks.

The nest features two separate conveyor belts of 25cm each; this makes the egg rolls a short distance and limits cracked shells to a minimum. The belts are made of woven or perforated polypropylene (PP).

The roof of the laying nest is hinged. One side, for nest inspection. The other part of the roof can be lifted off for inspection of the conveyor belt. This section functions as a tunnel – it prevents air drafts in the laying nest, and keeps the belt free from dust and particles which foul the belt and eggs.


The Van Gent[®] nests, known for their quality and durability, were designed with practical efficiency, promoting the natural behavior and habits of the birds.




Different configurations

The Van Gent[®] nests are available in 1/2 row (wall-formation), 1 and 2 levels for nests with standard and XL sizes.

Depending on the poultry house, different sizes and formations can be configured.



Cross-section of the standard configuration.



Cross-section of wall-formation and double floor configurations.

Technical information per nest unit / per section (2 x 2 nests)

Dimensions	Standard nest			Movable floor nest
	Standard 40	Standard 45	Standard 54	Unique model
Length	2400	2400	2400	2400
Width	1330	1530	1570	1570
Depth	415	465	540	540
Astro-Turf Grass (4x)	445 x 1165	490 x 1165	490 x 1165	490 x 1165


All measurements are in mm

Materials	
Nest	Film faced plywood 9 & 15 mm
Conveyor Belt	2 x 250 mm polypropylene (PP), woven or perforated

Hardwood slats

First-quality hardwood slats which are durable and easy-to-install. The wood is planed on four sides, has rounded corners and the floors are constructed with stainless steel staples.

The structure that supports the slats can be made of wood or galvanized steel. They are available in 1.20 x 1.00 m with a slat distance of 25 mm or 20 mm with durability class 1.



Plastic slats

The lattice structure ensures that the birds have a good grip and provides excellent filtration.

The plastic slats are made of polypropylene and are UV stabilized making them durable and easy to clean. They are available in the standard size of 0.98 x 0.625 m or in the larger size, 1.17 x 0.625 m.

The slats are easy to stack, ensuring little space is needed during transport.

Specialized advice

We are ready to assist you with your requirements and to design the ideal nest for your poultry house



INDIV[®]



HEADQUARTERS

INDIV USA

P.O. Box 1275 · Springfield · Missouri · USA 65801
Phone: +1 417 862 2673 / Fax: +1 417 862 5434 · E-mail: sales@indiv.com

MANUFACTURE AND DISTRIBUTION

INDIV ARGENTINA

Ovidio Lagos 7285
2000 · Rosario · Santa Fe
Argentina
Phone: +54 341 5121500
E-mail: indivargentina@indiv.com

INDIV COLOMBIA

Cra 48 # 65 Sur - 174
Medellín · Colombia
Phone: +57 317 6684908
Móvil: +57 317 6684908
santiago@indiv.com
martin@indiv.com

INDIV MÉXICO

Tercera Privada de 17 de octubre #4
Col. Caminera
C.P. 62116 · Cuernavaca, Morelos · México
Phone: +52 777 3265845 / 3265861
E-mail: indivmex@prodigy.net.mx

Planta San Juan del Río

Antiguo Camino Real 79Z-1 P2/5
Ejido Palma De Romero
C.P. 76840 · San Juan del Río, Querétaro
Phone: +52 777 120 4375
E-mail: jbello@indiv.com

INDIV Asia SDN. BHD.

No.3, Jalan Permata 2B/KS9
Taman Perindustrian Air Hitam
41200 Klang, Selangor · Malasia
indivasia@indiv.com

REGIONAL OFFICES

INDIV Venezuela & Centroamérica

Phone: +1 417 862 2673
E-mail: sales@indiv.com

INDIV Guatemala

3a. Avenida 13-74 · Bodega 33 Bodasa
Colonia El Rosario · Zona 3 de Mixco · Guatemala
Phone: +502 574 32696 · E-mail: arleny@indiv.com

indiv.com

Ask us about our Authorized Agents & Dealers in: Ecuador, Bolivia, Costa Rica, Honduras, Nicaragua, El Salvador, Panamá, Dominican Republic, Venezuela, Egypt, the Middle East and North Africa.