

# INDIV<sup>®</sup> USA

## CATALOG

Quality Equipment  
and Supplies for the  
Poultry Farming Industry



[www.indivusa.com](http://www.indivusa.com)

Order online: [www.indivfarmsupply.com](http://www.indivfarmsupply.com)



**Broad Expertise & Quality Products**



**We Are a Global Supplier With Local Service**

**Founded in 1964, INDIV has earned an outstanding reputation in the International Agro-industry, working with customers in Latin America, South America, the Caribbean, Africa, Asia, and Europe, as well as the USA. With quality equipment and exceptional customer service, INDIV partners with large and small business alike to find the best solutions for their specific needs.**



#### **Technical Assistance**

Our Customers recognize the important role INDIV has as their main source for projects... not only due to our technical expertise and customer service, but because we have a passion for excellence and quality. INDIV provides poultry solutions around the world ... and we would like to help with your next project!

#### **Centrally Located**

INDIV's headquarters is centrally located in Springfield, MO., with our USA warehouse located in Buffalo, MO, allowing us to ship products to our customers in a timely manner.



#### **Over 60 years of experience**

Our years of experience have allowed us to develop and manufacture our own products, as well as representing other reliable manufacturers of poultry and swine equipment.



**Buffalo, MO Warehouse**





## INNOVATIVE FEEDERS



### Turbo Mate 2

**Automatic bi-directional feeder for baby chicks from 1 to 18 days of age.**

#### Features

- Made with 100% high-density virgin plastic and additives that provides a high resistance and durability.
- Bi-directional rotary system  $-170^{\circ}$  and  $+170^{\circ}$  allows to activate or suspend its use in a single movement:  $0^{\circ}$  = "ON Activated and  $\pm 170^{\circ}$  = "OFF" Not Activated.
- The clamp is easy to install around the metal feeder tube (smooth or ripe) and remains permanently fixed.
- Recommended density: 1 TURBOMATE 2® for every 50-100 chicks.
- To be installed with or without automatic feeders that have high height, considering the distance of the floor to the lower level of the tube from 23 cm to 26 cm.
- Capacity: 2.6 lb.
- Greater live weight from the first week to the end of the flock.
- Reduces mortality and cross infections.
- Improved Feed Conversion.



**Available in long or short length**



Greater weight gain



Improves feed conversion



Increase uniformity



Greater integrity intestinal



Less feed waste



Improves labor time



Fast return of investment



Easy to wash and disinfect



• Promotes

### Turbo Mate 3



**Automatic Supplementary feeder for baby chicks from 1 to 18 days of age**

Sephnos has designed, patented, and manufactured an innovative supplementary automatic long, rounded feed-

#### Features

- Increases weight during the first weeks of use
- Reduces Feed Conversion.
- Improves uniformity
- Favors intestinal integrity and animal health.
- Teaches chicks not to eat from the floor and to eat from the pan
- Quick return on investment.
- Reduces labor and improves flock management.

#### Specifications

Pan Width: **6.69" or 17cm.**

Pan Length: **13.77" or 35cm.**

Area: **84 in<sup>2</sup> or 531cm<sup>2</sup>**

Perimeter: **35.43" or 90cm.**

Feed Capacity: **1.2kg**

Recommended Density: **75 to 100 birds per pan**

Materials: **High-impact plastic 100% virgin**



Position On



Position Off





## CHICK FEEDERS




The Original  
**Patented**  
Chick Feeder!



### Specifications:

- Manufactured with 100% virgin plastic and additives
- Capacity of 11 lbs (5 kg.)
- Recommended density of 1 TURBOGROW 2 for every 50 to 100 chicks
- Stackable design allows for quick and easy storage using minimal amount of space.
- 15" long x 6-1/4" wide x 7-1/2" high



## TURBOGROW 2® Chick Feeder

Third generation feeder for the reception of the broiler from 1 to 15 days of age

### Benefits:

- Rounded rectangular design allows more space between automatic feeders for chicks to migrate easily between feeder and drinker lines
- Special design of large inner lip keeps feed in the pan, not on the litter
- Greater weight gain during the first week of age
- Greater weight at the end of the flock
- Uniformity enhancements between 10% to 15%
- Mortality and cross infection are reduced
- Greater number of flocks per year
- Quick return on investment


### Max Fill Feeder

Placed in between automatic feeders to control the output of feed, the Max Fill supplies a larger amount of feed to the chick feeders to insure that feed is always available.



### TT Filler


A feed dispenser that controls the output of feed during the filling of the feeders. The new improved TT-Filler design allows for easier twisting to close off feed.



## TURBOGROW 2 PLUS® 6th Generation Feeder!



- For Broilers, laying hens, breeding hens, and barnyard fowl during 1 to 15 days of age
- New assembly system for better fit between hopper and pan
- To be placed between automatic feeders
- Greater weight gain during the first week and at the end of the flock
- Better uniformity
- Better feed conversion
- Reduced mortality
- Thanks to its design, it can be stowed quickly and easily, occupying a minimum amount of space





## CHICK FEEDERS



### Sephnos Turbo mix

Innovative automatic feeder; open type with elongated form, telescopic action and a hopper with feed distribution windows at the bottom. Bi-directional turn so its above the head of the birds. Designed for baby chicks, pullets and poults.

**SEPHNOS**



- Supplementary feeder for baby chicks from 1-21 days of age
- Produced with 100% Virgin Plastic and additives that provide high resistance and durability.
- Pan & Hopper with rectangular, rounded design
- The hopper has windows for optimal feed distribution in the lower part. In its upper central part, there are holes on each side to set the hanging base.
- The pan has a central cone that allows for 360° feed distribution and a pronounced inner lip on its upper edge to avoid feed waste.
- Clamp with a sliding pin system at the top to place the feeder in a position of "off" at the head of the birds, and a tongue in the form of a "T" at the bottom to control feed outlet.
- Leaves adequate bird space between feed pans, even with 4 on 9 application
- Recommended density: 80-100 birds
- Capacity per feeder: 2.65 lbs (1.2 kg)

Greater weight gain



Improves feed conversion



Increase uniformity



Greater integrity intestinal



Less feed waste



Improves labor time



Fast return of investment



Easy to wash and disinfect



### Turbogrow 1

Chick Feeder for Broilers from 1 to 14 days of age

For use on the floor or in cages.



### Turbogrow 3

For Broilers from 1 to 15 days of age

- Greater weight gain in the 1st week & at the end of the flock
- Improved feed conversion
- Greater number of flocks per year



### Turbogrow Shallow®

Third generation baby chick feeder for 1 to 14 days of age

- Greater live weight at the end of flock & improved uniformity
- Better feed conversion & avoids feed waste
- Reduced mortality





## ***A New Generation in Poultry Feeders!***

The modern design and bright colors for the NG feeder line were selected to attract birds to the feed pan, improving feed conversion in **all stages of growth!**




### **FEATURES:**

- The **NG** feed pan has a streamlined design and features a 14" diameter.
- Rim to floor pan height allows the chicks easy access to feed.
- For brooding, the pan is flat on the floor with the feed flow height within the pan, allowing birds to consume without wasting or spilling feed on the floor.
- The new technical design of the **NG** Feeder, with its high quality plastics, ensures years of trouble free use.
- The **NG** Feeder pan can be easily assembled or disassembled for quick and easy cleaning
- As the birds grow and the pan is raised, there are 4 possible regulations for feed flow in accordance with the users needs.
- Each unit can be removed or replaced without having to disassemble the tubing.



**2 Models Available:**  
**NG-4C:** with 4 Spokes  
**NG-14C:** with 14 Spokes






## TURKEY & HANGING FEEDERS



### **POLYFEEDER** An Innovative Multi-Stage Turkey Feeder


High quality, versatile turkey feeder that can be used in all-in and all-out buildings with the same feeder, and can be configured for either brooding or finishing!

Manufactured in Italy  
& distributed in  
partnership with Giordano  
Poultry Plast




#### **Benefits**

- For turkey poults, and chicks use the lower part of the feeder
- During the finishing stage, adult birds use the top part of the feeder
- Feed flux can be precisely adjusted at all stages of feeding
- After 6-8 weeks, the bottom pan used for weaning can be removed for the grow-out cycle, which helps maintain a better hygienic environment



Patent pending open/close valve is the heart of the feeder and can be used in either brooding or finishing.



- Greater weight gain of birds
- Mortality and cross infection reduced
- Improved feed conversion
- One feeder for every 50-100 birds
- Greater number of flocks per year
- 26 Lb. capacity
- Available in green for turkeys or orange for broilers

#### **Manual Hanging Turkey Feeder**

- Manufactured of galvanized metal
- 50 lb capacity
- Made in the USA



#### **Manola B Manual Hanging Poultry Feeder**

- 45 lb capacity







## FEED LINE COMPONENTS


We customize  
feed lines  
to fit your needs!



**Gear Drive  
with Motor**



**Gear Drive**




**Hopper**



**Control Pan**



**Auger**



**Direct Drive Control Unit**

Shown without motor.  
Motor sold separately.



**Plastic Hopper**  
100 liter capacity

\* Feed Line Components vary by  
region. Call 417-862-2673 or email:  
[usales@indiv.com](mailto:usales@indiv.com) for more info.



## POULTRY DRINKERS



### IGNITION I® Drinkers

#### Features:

- Made with 100% high-density virgin plastic and additives that provide a high resistance and durability.
- Recommended density of one IGNITION I® for every 50-100 chickens
- Available in 2 sizes: 1 gallon and 1/2 gallon

Plastic wide mouth floor drinker that provides easy access for broilers, laying hens, pullets, turkeys and backyard birds.



Innovative manual drinker for floor or hanging, for use with chicks, pullets and backyard birds.



### IGNITION V® Drinkers

#### Features:

- Made with 100% high-density virgin plastic and additives that provide a high resistance and durability.
- Recommended density: One IGNITION V® for every 75-100 birds
- Capacity: 1.40 gallons
- Quick hydration and easy access for birds from day one



### Gravity Drinker

- Works suspended or on the floor
- Ballasted
- Usable through all stages of growth
- Low profile



### Jumbo B Drinker

- Works suspended or on the floor
- Ballasted
- Usable from 1 day old to adult
- Top quality durability
- Interchangeable



### G 86 Drinker

- Works suspended only
- Top quality durability







## Egg Incubators



### **Surehatch SH60** **Fully Automatic** **Digital SH60** **MiniHatch**

- Our smallest fully automatic digital egg incubator and hatcher.
- Setting Capacity: 60 eggs
- Hatching Capacity: 40 to 60 Eggs
- Produce 40 chicks per batch or up to 20 per week



### **SureHatch SH180** **Table Top Incubator**

- Popular table top incubator ideal for small hatching.
- Setting Capacity: 180 eggs
- Hatching Capacity: 160 eggs
- Produce 180 chicks per batch or up to 40 per week



### **SureHatch SH370** **Cabinet style egg incubator** **with front access**

- A combination egg incubator and hatcher
- Incubation capacity: 270 eggs



### **SureHatch SH560** **Automatic Digital Egg Incubator and Hatcher** **for 560 eggs**

- medium-sized egg incubator
- Setting Capacity: 360 eggs / Quail Eggs: 520
- Hatching Capacity: 200 / Quail Eggs: 520
- The Surehatch SH560 can hatch up to 594 chickens per month.



### **SureHatch SH680** **Automatic Digital Egg Incubator and** **Hatcher for 680 eggs**

- Excellent medium-sized egg incubator widely used by hobbyists, poultry breeders, farmers and entrepreneurs
- Incubator Capacity: Chicken/Guinea Fowl Eggs: 480
- Hatching Capacity: Chicken/Guinea Fowl Eggs: 200

### **Sure View Egg Candler**

**Instantly test eggs for fertility**  
**after 10 days in the incubator!**

By candling eggs with the SureView Egg Tester you can check if embryos are developing correctly. This saves a lot of time and money as you know which eggs stand the best chances of hatching. Everyone who owns an incubator needs a egg fertility tester!





## Combo Egg Incubators



**SH1000 Automatic Digital Egg Incubator and Hatcher**

Load & hatch 240 eggs per week



**Model SH2000 Combo SuperHatch®**

Fully Automatic Digital 2000 Egg Incubator and Hatcher Combo : load & hatch 480 eggs per week



**SH4000 Chick Hatchery**

4000 Egg Hatchery - Produce 720 chicks per week



**SH6000 Chick Hatchery**

6000 Egg Hatchery - Produce 1440 chicks per week



**SH8000 Chick Hatchery**

8000 Egg Hatchery - Produce 2160 chicks per week



**SH12000 Chick Hatchery**

12000 Egg Hatchery - Produce 2880 chicks per week





## MANUAL NESTS




Available  
with 4, 6 or 10  
holes

Our nests are  
manufactured  
here in the USA  
and promote  
poultry health  
and greater egg  
production.



### Features:

- Ventilation holes in partitions for fresh air flow.
- Sloped anti-roost roof
- With galvanized nest bottoms
- With perch boards and necessary hardware
- With aluminum rivets for easy assembly (comes assembled)
- Manufactured in the USA
- Available in 4, 6, and 10 hole nests



**DURA-PAD**  
POULTRY NEST PAD

- Easy to clean
- Safer egg roll-off
- Increased comfort for hens
- Longer life
- Better filtration
- Rot & Corrosion proof
- High grade polypropylene
- Superior wear resistance
- Fewer feathers stick to eggs

## Smart Manual Nest



Patented  
Design

### Features:

- Maximum production of high quality hatching eggs
- No need for bedding material, which can bring infection
- The eggs are collected from the central egg belt, resulting in quick cooling of the eggs which reduces contamination
- The perforated eggbelt keeps the eggs apart to prevent cracking and breaking
- The gentle sloping nest bottom ensures the eggs roll away quickly to the belt, so the eggs can cool down fast and remain cleaner
- The nest is made from Turfmat (an open mat) which means all dirt and manure particles can fall through, resulting in cleaner eggs






## FENCING & NETTING



### EVOLUTION

#### Avian Migration Fencing



The Chick Fence is composed of a U-panel chick fence and a rectangular panel, and is made of strong and resistant squared plastic panels. The joint with straps are held by a strong metallic base that forms this uniquely designed Avian migration fence.

#### Benefits:

- Avoids avian migration
- Reduction of heat stress
- Enhances feed intake
- Improve feed conversion
- Quick and easy storage with minimal space
- Customizable for your specific sizes and needs



#### Hex Netting—The Perfect Netting for Poultry Houses, Nests, & Cages



#### Features

- **HEAVY DUTY** galvanized hex wire
- 5 mil PVC coating for extended life

- Durable and rust-proof
- Ideal for poultry or livestock
- Manufactured of high quality tensile steel wire mesh
- PVC coating does not become

#### Specifications

- Mesh size: 1" hex opening

#### Sizes available:

- 1' - 4' - 5' - 6' wide x 150' rolls (3' & 7' by Special Order)

**NEW NEW NEW NEW**  
**PRODUCT**


**Turbofence**

A-shaped Plastic anti-migration barrier



Engineered to reduce bird migration which increases live weight, uniformity and decreases mortality rates.

*A simple solution for creating anti-migration barriers!*







## POULTRY HOUSE FLOORING

### A New Generation in Poultry House Flooring

# Sani-Slat™



An easy to clean,  
**HYGIENIC** slat,  
for **CAGE FREE** layer &  
heavy **BREEDER** operations.  
Designed by Professionals  
with Years of  
Industry Experience !


#### Features

- Prevents litter buildup on supports for a more sanitary environment
  - Specially designed surface allows for easy manure passage to protect bird's feet
  - Corrosion and bacteria resistant for healthier birds
  - Easy to install and clean (installs on wood or rail)
  - The heavy-duty design is rated for up to \*250 lbs of static weight per 1/4 section, in fully attached/fastened state, with both ends and center support
  - Size: 2' wide x 4' long
  - weight: 6.68 lbs
- \* Does not include running or jumping on slats, or improper use, which would void any warranty or guarantee



Sani-Slat  
stays clean  
longer. Photo  
taken after 2  
months use.

#### Standard 4' long Sani-Slat




- Available in white and black



For applications requiring additional weight capacity or for metal frames, we suggest using the **Super Heavy Duty Sani-Slat**. Available in Tan color only.

#### Larger 5' Sani-Slat XL



**Stays Clean Longer!**

#### Hygienic

- Prevents litter build up

#### Strong

- High quality, Durable Plastic

#### Easy Installation

Check out our  
installation video @  
[www.sanislat.com](http://www.sanislat.com)

Manufactured in the  
**USA** with high quality,  
100% virgin plastic  
materials



#### SANI-SLAT XL:

- The new larger size is 12" longer than the standard Sani-Slat!
- XL size: 2' wide x 5' long
- Requires less frames per house which lowers installation costs
- New design allows better stacking, reducing shipping costs
- Same hygienic features as the standard slat, designed to stay clean longer.



# PIEDMONT TITAN COOP

The **Piedmont TITAN coop** is **STRONGER**, more **DURABLE** and **EASY TO USE!**



## Piedmont **TITAN** Coop

- Smooth and round surfaces minimizes bruises and broken wings, preventing injuries during coop handling
- Spring latch keeps birds safely locked in the coop
- The design guarantees maximum ventilation with quicker and easier cleaning
- Interlocking surfaces make stacking loads easier and eliminate shifting during shipping.
- UV stabilizer reduces aging caused by exposure to sunlight
- Finger holds in all four corners for easy handling
- Door opens outward and rests on top surface

### Dimensions


35" x 24" x 10"

### Top door size:

15" x 15.5"

### Standard color:

Bright Orange body w/white top door & black latch & hinges



Manufactured in the  
USA in partnership  
with Giordano  
Poultry Plast


\*Custom colors available with a minimum order requirement. Call for custom quote.







## Transportation / Coops



### Piedmont Coop

- Smooth and round surfaces minimize bruises and broken wings, preventing injuries during the coop handling
- The spring latch keeps birds safely locked in the coop
- The special design guarantees maximum ventilation, quicker and easier cleaning
- Perfect interlocking reduces danger of load shifting
- UV stabilizer reduces ageing due to solar rays
- Very simple to assemble: push fit-self locking
- No equipment needed. A simple pressure assures the complete assembly of the coops

**Dimensions**

38.19" x 22.83" x 10.63"

**Weight**

17.20 lbs

**Sliding top door size**

16.53" x 15"

**Standard color**

yellow with white doors

**Capacity**

18/20 birds, dependent on climate & weight

### Mini Piedmont Coop

- Smooth and round surfaces minimize bruises and broken wings, preventing injuries during the coop handling
- The spring latch keeps birds safely locked in the coop
- The special design guarantees maximum ventilation, quicker and easier cleaning;
- Perfect interlocking reduces danger of load shifting
- UV stabilizer reduces ageing due to solar rays
- Very simple to assemble: push fit-self locking
- No equipment needed. A simple pressure assures the complete assembly of the coops
- Economical and safe
- HD polyethylene UV stabilized

**Dimensions**

30.32" x 22.44" x 11.42"

**Sliding top door size**

16.54" x 12.60"

**Weight** 14.89 lbs

**Standard color**

yellow with white doors

**Capacity**

14/16 birds, dependent on climate and weight



Our cooperation with Giordano Poultry Plast began 20 years ago. Thanks to a joint venture, they started producing Piedmont and Mini-Piedmont coops in collaboration with INDIV. Thanks to this technical and commercial collaboration, GPP is present throughout the American continent, with a very good network of distributors and direct customers.



# Turkey Coops



**GIORDANO**

The new Giordano Poultry Plast Turkey coops are strong and durable, as well as hygienic and easy to clean. The health of the birds is protected thanks to excellent ventilation, easy stacking, and smooth, round surfaces which help prevent injuries (such as bruises and broken wings) during coop handling.

The coops are made with HD polyethylene and UV stabilized to reduce damage from sun rays.



## Dimensions

38.19" x 22.83" x 16.54"

## Sliding top door size

16.54" x 12.60"

## Weight

25.60 lbs

## Standard color

Yellow with white doors

## Capacity

3-4 turkeys, dependent on climate and weight



*Also available with 2 doors*



**GIORDANO**

**Mini Turkey Coop**

*For Small Loads!*



## Dimensions

30.32" x 22.44" x 16.54"

## Sliding top door size

16.54" x 12.60"

## Weight

20.33 lbs

## Standard color

Yellow with white doors

## Capacity

2-3 Turkeys birds, dependent on climate and weight

Manufactured with the same quality materials and features as the standard size, but made for smaller loads!



*Also available with 2 doors*





## Coops & Chick Boxes



**11" Model**

Because the Poly Koops are stackable, these live chicken transportation coops can reduce shipping costs by up to 50% !




### Poly Koop

- Made of high density polyethylene, 100% virgin + UV additive (compliant with FDA and EEC)
- Design allows better ventilation and more protection for your birds

### Specifications:

- 9 " size : 35"L x 23.50"W x 9"H
- 11" size: 35"L x 23.50"W x 11"H
- Weight: 9" -12.60 lbs / 11" - 14.45 lbs
- \*Holds 10-12 chickens




**9" Model**

\* Bird capacity may fluctuate depending on weight and climate

## Chick Boxes

- Strong, high density polyethylene used in the manufacturing of our paperless non-divided chick boxes, provides rigid, impact resistant walls.
- Design prevents side walls from warping in hot weather, which prevents baby chicks from escaping
- Provides ample ventilation, helping to reduce mortality rates
- Weighs only 3 pounds, with molded handles for easier transport
- Boxes nest inside each other to save storage space
- Does not absorb moisture, dirt, chick litter and odors, which makes for easy clean up
- Resistant to damage if dropped or stepped on, and will last for years with practically no maintenance.



Models with or without division






## CLIMATE CONTROL




### Evaporative Cooling Pads

**EVAPORATIVE COOL PADS** provide humidification and cooling creating a **great relief for animal stress** that is produced by heat inside the houses.



Available in regular or black, with or without bottom dip.  
Sizes: 2 to 6 feet high, in 1 foot increments



The evaporative cooling system is a process that reduces air flow temperature by water evaporation. Maximum efficiency is achieved by directing the air to be cooled through wet pads placed at the inlets of the air ventilation system. As the air passes through the pads, it absorbs water, which provides a higher capacity for heat removal.



Vent Doors



Inlets



hoods



Minimum vent inlet

### CURTAINS

We can design custom curtain installations for you. Our curtains come with a small sized hem that can accommodate conduit up to .922" OD. For the best installation, we recommend our swaged curtain conduit. Curtains are available as drop down or roll up. Medium, large and keder hems are also available. Weights & colors available:

**Woven Polyethylene:** 4.3oz PolyLite Clear, 7.5oz Titan Clear, 5.6oz Black/White Premium,

**Vinyl:** 10oz Vinyl in White, Black/White, Frosty Clear, 16oz Water Clear

if you need multiple hems, different sized curtains, or if you would like your curtain to drop from the top or roll up from the bottom. Insulated curtains are also available by special order.



### POWER CURTAIN DROP

When used in combination with a curtain and winch, PowerDrop provides backup natural ventilation for livestock in the event of a sustained power failure. PowerDrop runs without batteries, timers or mechanical devices and instead relies on an electromagnetic lock. PowerDrop holds for a delay period after power failure. If power is not restored before the delay expires, the PowerDrop arm is forced open releasing the curtain winch.







## Instruments



### The Kestrel 3000 pocket weather meter

is perfect for monitoring field conditions. You know you're working hard - make sure you're staying safe. The Kestrel 3000 pocket weather meter keeps you from working past your limits. From the Kestrel 3000's accurate relative humidity readings, it also calculates the dewpoint and heat stress index—important information to know when working outdoors in hot and humid conditions.



### Kestrel 5000 Environmental Meter

A remarkably powerful measuring and data logging tool, yet remarkably compact. The Kestrel 5000 provides the same trusted accuracy, reliability, and usability as the original Kestrel 4000. Use it for research, safety, expeditions, agriculture and any other profession or activity where accurate on-the-spot conditions monitoring is key. In addition to measuring the current environmental conditions, the Kestrel 5000 tracks and logs over 10,000 sets of time-stamped data. Your data log can be transferred to a iOS/Android device wirelessly with the LiNK wireless communication option and Kestrel LiNK app, or to a Windows/Mac device with either the accessory Kestrel LiNK Dongle or waterproof USB Data Transfer Cable (Both sold separately).



### TA318 Indoor Outdoor Digital LCD Thermometer Hygrometer

This humidity meter digital thermometer is characterized by the large LCD screen which is designed for easy readouts of the humidity and temperature measurements. The cable with probe is for measurement of the outdoor temperature and humidity and the internal sensor inside the thermometer is for indoor measurement. For convenient installation, the hole and the stand back makes it so that it can be used on the wall, desk or the table.

### OW-8380 Digital Infrared Thermometer Gun

- Laser point for accurate target aiming
- Backlight selection
- Accuracy: +2°C / +2%
- Resolution: 0.1°C or 0.1°F
- °C / °F Selection
- Emissivity: 0.95 (Pre-set)
- Response time & Wavelength: 500ms & (8-14)um
- Auto Power shut-off
- Automatic data hold
- Low batter indication
- DC 9V Battery



### Thermostat 120/240V / 16 Amps

Used for precise control of heating, ventilation and cooling systems. Each one is built with a stainless steel sensing coil mounted to a weather-proof ABS plastic enclosure. This thermostat is resistant to moisture and gases found in corrosive agricultural buildings. Great for livestock buildings, greenhouses, warehouses and industrial buildings.



### Digital Light Meter TL-600

- Wide Light Range (0 – 200,000 Lux / 20,000 Fc ) Auto Ranging
- Large Display w/ White Backlight
- Lux and Fc Switchable
- 32000 Reading Internal Memory
- High Accuracy
- Data Hold Function
- Min/Max/Avg Function
- Detachable Sensor Time Display
- Low Power & Low Battery Indicator
- Under / Over Alert Function\*
- Bar Graph Display Data Logging Function
- Auto Off Function
- Software, USB Lead, DC 6V Cable, Case & Batteries Included
- CE Certified & RoHS Compliant
- \*Computer Required








## Tube Fans

These robust fans are used for various agricultural applications like greenhouses, pork, calf barns and chicken houses and industrial applications like factories and buildings. These fans are engineered for continuous operation in highly corrosive environments and are suitable for outdoor use. Great for positive pressure tube ventilation systems too!

- Materials resistant to extreme environments like livestock barns.
- OSHA compliant intake grill.
- Extremely durable fan with 3-year warranty.
- Easy installation and maintenance
- Stainless steel fasteners, Polypropylene / glass fiber impellers
- High performance and energy efficient with a water and dust resistant fan motor (IP55) and Class 'F' insulation
- Suitable for ambient temperatures up to 104 °F (Optional model for higher ambient temperatures available by request)
- Low noise level
- Available in 10" - 24", 120V or 240V / 22", 28" & 36" available 240V only




## INDIV Basket Fan



- Poultry Fans Wide Spaced Guards
- High efficiency, quiet operating
- Wide spaced guards resist clogging
- Industrial grade aluminum blades
- Prewired with 10ft grounded cord—115v
- Motors are TEAO
- \*Non-OSHA guarded fans must be mounted over 7ft. above ground.

## V-Flow Fan



- Results in a uniform climate
- Controls the humidity level
- Reduces the energy costs through vertical airflow
- IP55 motor (water and dust resistant)
- Low noise (47 dB at 23 feet)



**NBC54 fans provide maximum airflow needed to ventilate poultry buildings and are the most energy efficient fans offered by American Coolair.**

**Control  
24/365**



## Features:

- Galvanized steel construction and sturdy cross-frame drive support.
- Unique captured bearing arrangement places the belt load directly over the bearings to extend bearing life.
- 4 cast aluminum airfoil blades secured to a cast aluminum hub that are engineered to provide durability, corrosion resistance, and optimum efficiency.





## WINCHES & PULLEYS

### Overhead Winch 5500

This reliable and easy to maintain winch is perfect for feed lines. It is widely used on lines less than 500 ft long. The welded frame gives this winch a capacity of 3000 lbs and features a grease fitting on the hub to keep it running trouble free year after year.


Hub: 3.46  
Gear Ratio: 38:1  
Drum Capacity 1/8" - 208 ft  
Drum Capacity 3/16" - 94 ft  
Weight: 39 lbs



### Worm Gear Winch 5585

Ture Machined worm gears with unprecedented reliability. Beesley uses precise machined angles on the worm and drive gears to eliminate binding. This, along with sealed bearings, delivers the smoothest worm gear winch available... perfect for drinker lines and can also be used on heater suspension

Hub: 1.67  
Gear Ratio: 41:1  
Drum Capacity: 1/8" - 57 ft  
Weight: 23 lbs (2 per box)



### Hand Winch 5555

This winch has a rating of 1200 pounds with an embossed framed and powder coated finish to resist the elements. This winch is used for winching tunnel doors, vent doors and curtains.

Hub: 1.30  
Gear Ratio: 3.87:1  
Rated Capacity: 1200 lbs  
Unit: 10/box  
Weight: 59 lbs



### 3-1/2" Cast Iron Pulley 2040

Galvanized straps with bushing and cast iron sheave, commonly used at the winch on feeder systems.

Rated Capacity: 1500 lbs  
Unit: 25/box  
Weight: 33 lbs  
Diameter: 3 1/2"



### 1-7/8" Swivel Pulley 2030

The galvanized coating increases its tolerance to the harsh chemicals utilized in most farms today. This coating offers three times the protection of zinc plating. The 1 7/8" swivel pulley is perfect for feed lines but is not recommended for nests or heating.

Rated Capacity: 220 lbs  
Unit: 300/box  
Weight: 46 lbs  
Diameter: 1 7/8"



### 7/8" Curtain Pulley 2020

It can now be found in any poultry house, but Hank Beesley's idea got its start in the industry in 1965. Hank's inspiration came from a set of Venetian blinds that he was repairing and he immediately saw an application for it in poultry houses, contacted the manufacturer and ordered 10,000 pcs...the curtain pulley was born. Use the curtain pulley on drinker lines, curtains, and vent doors.

Rated Capacity: 130 lbs  
Unit: 1000/box  
Weight: 45 lbs



See more winches and pulleys on our website, or contact us for cutom orders





## PERSONAL PROTECTION EQUIPMENT



### MICROPOROUS BREATHEABLE COVERALL

#### Breathable for Comfort!

- White BB Coveralls
- 60g Microporous Polypropylene
- Zips up the front for easy on/off
- Elastic Wrists & Ankle Cuffs
- 100% Latex Free!

### TYVEK® COVERALLS

#### Zip-front Disposable Coveralls

- Excellent Splash Protection against many liquids
- Comfortable, economical and flexible



### 35 MIL PVC APRON

- Yellow Vinyl Reinforced Polyester Apron
- 35" x 50"

### DOT GRIP GLOVES

- Great ventilation.
- Keep hands cool
- Hand-to-hand reversible.
- One size fits most.
- Cotton knit w/ vinyl dots for a sure grip.
- 12 pairs per box



### BOOT COVERS ELASTIC CUFF 5 MIL

- One Size fits M, L, XL
- 16" High
- Elastic Top
- Heavy Duty 5 mil polyethylene resists light chemicals
- box/50 (25pair)

Also Available in 2XL



### BOOT COVERS / PERFORATED TIE

- One Size fits M, L, XL
- 16" High
- Tie Top
- Heavy Duty 5 mil polyethylene resists light chemicals
- box/50 (25pair)



### N95 DISPOSABLE RESPIRATOR MASKS

- White Respirator
- Adjustable metal band
- NIOSH N95 Rated
- Polyester/Polypropylene
- 3 ply material
- One size fits all

### FLAT FOLD N95 RESPIRATOR MASK

- White Respirator
- Adjustable Metal Nose Band
- Meets NIOSH Standard For N95
- One Size Fits All
- Foldable, 3D Contour Design Creates Less Fog When Wearing Glasses



### PLEATED EAR LOOP PROCEDURAL MASK

- Blue Procedural mask
- Adjustable nose band
- Latex free ear loops
- Polyester/Polypropylene
- 3 ply material
- One size fits all
- 50 per box



Also Available in Youth size



# INDIV<sup>®</sup> USA

## **INDIV USA Headquarters**

3432 S. Culpepper Court , Ste. B  
Springfield, MO 65804

Ph: 417-862-2673

Email: [sales@indiv.com](mailto:sales@indiv.com)



[indivusa.com](http://indivusa.com) / [indivfarmssupply.com](http://indivfarmssupply.com)